

Application Description

for the

Electronic Spare Parts Catalogue

Version 3.0

created: 2017-06-21



Content:

1	Foi	oreword	
2	Sys	ystem requirement	4
	2.1	Connection	4
	2.2	Firewall	4
	2.3	Java	4
_	2.4	Optimal display on your screen	4
3	Us	sername and Login	5
	3.1	Allocation of user name and password	5
	3.2	Login	6
4	Ve	ehicle Indentification Number VIN	7
	4.1	Finding the VIN	7
	4.2	Entering of the full VIN	7
_	4.3	Selecting the proper chassis number	
5	Bas	asic Settings	9
~	5.1	Changing the password	10
6	Ma	lain navigation buttons	11
	6.1	Menu item Catalog	11
_	6.2	Menu item Shopping cart	12
1	Syı	ymbol and their functions	13
8	Sea	earching parts from the spare parts catalogue	16
	8.1	Structure of the assemblies	17
	8.2	Structure of the navigation	18
	8.2	.2.1 Image navigation	
	8.2	.2.2 Search for electronic components	
	8.2 0.2	2.3 Search for hydraulic components	18
	0.2 8 3	Description Other modules"	
	8.4	Search canabilities of the spare parts catalogue	20
	8.4	4.1 Search with article number/part number	
	8.4	.4.2 Search for Product Description / designation	
9	Fu	unction of the webshop	22
	9.1	The options of the shopping cart	22
	9.2	Administering orders	23



1 Foreword

The identification of spare parts and sub-assemblies for technically sophisticated products is a challenge and is often also a huge hurdle for providers as well as buyers of spare parts. The search effort can be very time-consuming in some cases. In order to minimize search efforts, modern manufacturers of utility vehicles use electronic catalogue systems. These catalogue database systems combine the databases of the design and production departments, resulting in an information system.

2 System requirement

2.1 Connection

To use the electronic spare parts catalogue, an Internet connection is required. The bandwidth of the connection is a decisive factor for using the application quickly.

2.2 Firewall

Usually, companies protect their local LAN against viruses, Trojans, spam mail and more using a firewall.

After you entered your login data (see <u>Login</u>), a page with an entry field for your chassis number will appear (assumed that your firewall allows access to our website (http://www.kaessbohrer.at:8080/kaessbohrer_shop). If access is denied at this point, please contact your IT department. In most cases, authorization of our web address or adjustment of your firewall will solve the problem (port 80 or 8080 must be enabled). If you still can not access our website, please contact our <u>Servicecenter</u>.

2.3 Java

We recommend using the latest JAVA script. Using an outdated JAVA version might cause failures of the displays. For JAVA updates please visit the JAVA web site at www.java.com/de/download/.

2.4 Optimal display on your screen

In order to achieve full screen display, press the **F11** key after you accessed the spare parts catalogue. To return to the initial display size, press the **F11** key again.

3 Username and Login

3.1 Allocation of user name and password

The username and password for the spare parts catalogue are available exclusively from Kässbohrer Eugendorf. To receive user data, please contact the address below. You will receive an individual code card with the username and password for your catalogue access. With these data you can log in to the catalogue from any Internet access using our Internet address.

	Kässbohrer Driven by professionale				
ET-Katalog - Mustermann					
www.kaessbohrer.at Service / Login Webshop					
Benutzername:	Mmustermann				
Kennwort:	XXXXXXXXX 22.09.2009				

Administration and allocation of user names and passwords:

Kässbohrer Transport Technik GmbH Servicecenter Mr. Andreas Danninger

Mail: andreas.danninger@kaessbohrer.at Phone: 0043 6225 28100 212

Be careful! User names and passwords must be safeguarded to avoid misuse (see the terms of use in the appendix).



3.2 Login

Enter user name and password from your code card. After successful login, you can use the main menu items: **Catalogue, shopping cart, settings, purchase orders, input screen for the VAK number, logout**. To terminate your session, always use the **Logout** button.

Hint: Kindy note that 0	e navigation via the Back-yForward buttons is not possible.
Language Usamana: Passeont:	English ·

4 Vehicle Indentification Number VIN

4.1 Finding the VIN

You can retrieve your vehicles individual VIN from to your vehicle documents and from the identification plate on the vehicle.

4.2 Entering of the full VIN

The overview below shows our products in full or pale display, indicating the vehicles available and still unavailable in this system. Products in full display are completely integrated into the spare parts catalogue; all their parts can be identified by the chassis number.



4.3 Selecting the proper chassis number

The first three digits of the chassis number determine whether a truck or a trailer is concerned. This distinction must be made within a product group. As soon as you select a product, a hint on the correct VIN chassis number is displayed on the screen.



Example: 674000E1712076 644000D1711765 645000D1511797

656EBDE1612121 753GBDE1A12196 657FBCE1712107



If you enter an incorrect number, nothing will be displayed.

5 Basic Settings

Select the **Settings** to enter the general configuration of your spare parts catalogue. For example, you determine the language in which your catalogue will display all information.



After changing the **Viewer Language**, all menus will appear in the selected language. Languages German, English and Russian are available. You can also change the names of all parts (**Part Language**) to your desired language. When changing the documents language (**Documentation Language**), the database with all available documents will be displayed in the new language. You don't need to change settings like the Viewer, the Currency and the Currency key.

	tings Orders Ente	r VIN – Log
Settings		
You have to restart the shop in o	rder to apply new se	ttings corr
Property	Value	Inherit
Type of Viewer	Java	V F +
Rows per page (in lists)	20 💌	
Viewer Language (Language, Count	ry) English, England	
Part Language	English 💌	
Documentation Language	English 💌	
Vertical Alignment of Image and Pa	rtlist 🔽	
o	EUR 🕶	
currency		

5.1 Changing the password

After you have received our key card, you can also change your password. Please proceed as follows:

vertical Alignment of Image a	nu Partiist 💌	
Currency	EUR 💌	
Currency key	DE 🕶	
Change password <		
ок	Close	

To change your password select button "Change password...".

The screen shown below will appear:

Kässbohrer Driven by professionals*							
Back Next	Shopping cart	Settings Order	s Enter VIN	Logout			
Change pass	word						
Password (*) Password (Co * = Mandatory	: nfirmation) (*): / field			-			

Enter your new password, confirm it, then select OK.

Be careful! User names and passwords must be safeguarded to avoid misuse (see the terms of use in the appendix).

6 Main navigation buttons

After you have made the basic settings for your electronic spare parts catalogue, you can select one of the main navigation buttons: **Catalog, Shopping cart, Settings, Orders, Enter VIN, Logout.** The main navigation row remains visible at all applications, offering the ability to quickly switch between catalogue, shop and documents database.

Kässbohrer Driven by professionals*								
Back	Next	Shopping cart	Settings	Orders	Enter VIN	Logout		
Enter VIN								

6.1 Menu item Catalog

Clicking on menu item "Catalogue of parts" to navigate to the parts identification.

Kässbohrer Driven by professionals [®]	
Back Next Cetalog Shopping cart Setti	ngs Orders Enter VIN Logout
Catalogue of parts	Search Back Next 🚰 Help
🔲 🗉 🐯 🖄 👯 🕅 🖳 🔟	
64100091110231 O MP-M Metago	MP-M Metago

The catalogue will automatically display your selected VIN. You can now proceed with the search for parts by double-clicking on "**Assemblies**".

6.2 Menu item Shopping cart

All spare parts you have ordered from the catalogue will be displayed here in list form. You instantly get an overview of pending and current orders. You may search and order further parts by clicking on "**Catalog**".

Add inservally
Devlar Type: Order Shipping Type: Tarenal Classic andre and
Order Type: Order w Shipping Type: Tarrud w
Shipping Type: Tarread
Discourt group: FTT
* = Mandatory Sau Post Article Invester - Description - Quantity Unit, Grass /Met.00, - Clevel order na. (eight)
Subst Search Sector Sec

Furthermore, you can add articles directly here without searching the catalogue first.

Add manually Actuale namoer possococcist 1,00 0rder Type: Thipping Type: termal Client order no.1 Discount group: KTT * = Mandatory field 100 100 100 100 100 100 100 10	nack Next Cat Shopping.cort	aing - solid line a tree	Settings Order	s Enter VIN	Lagout			
Article runder Udantit 995900239 1,00 Cder Type: Order M Thipping Type: Normal Cleant order run: Cleant order run: Crass Statest deinette field Pot Article runder: Description Quantity Unit Grass Net DG Cleant order run: Crass ES3662197041 bearing block deineble 1000 Sti 431,43 06 Subet Etimocyce	Add manually		1					
evisooccasi 1,00 	Article number	quantur						
File Order Type: Pormal Formal Scount group: KTT * - Mandatory field Post-Article romber: Description G53662197041 Description State Lines State Lines Vipulate call Vipulate call	955000235	11,00						
Order Type: Order Ehipping Type: Normal Client order no.: Image: Client order no.: Discount group: KTT * = Manifatory field Image: Client order no.: P36 Article number: Description 653662197041 bearing block divisible 1.000 State 411,43 06	- add							
Inhipping Type: Normal Client order no.: Officent order no.: Officent order no.: Pos. Article number: Description Quantity Unit: Grass Net.DG: Client order no.: organ 653662197041 bearing block divisible 1.000 Stk 401,41 06 Subst International Update call	Order Type:	Onder M						
Discount group: KTT * e Mandatory field Post Arricle number: Descruition Guanuty Unit Grass Net DG Clent onder no. organ 653662197041 bearing block divisible (1006 Sti 431,43 06 Subst Withmover)	fibipping Type:	Normal						
* = Mandatory field Pos. Article number Description Quantity Unit! Grass Net DQ Client onder no. ongo 653662197041 bearing block divisible 1/000 Stk 431,43 06 Statist Items unit!	Discount group:	KTT.						
Post Article number Description Guantity Unit Grass Net DG Client order no. origin 053662197041 bearing block directle 1.000 5tk 431,43 06 Subst Subst Immoved	• = Mandatory field							
653662197041 bearing block durable 1.000 Stk 431,43 06 Subst a Hambur	Pos. Article num	ber Description	Quantity	Unit Grass N	00,11	Client order no.:	enan	
-Update cert	053662197	041 bearing block dure	ble 1.000	Stk 431,43	06		Subst Subst	
-Update cart								
	Update ca	-						

See chapter 9.2 for further functions.



7 Symbol and their functions

Description / function:

Symbol:



Initial symbol for the catalogue for spare parts search. After selecting this button, the navigation menu and the illustration for the concerned chassis number is loaded.



Using this button you can go from the catalogue level to the documentation level and back. After you clicked this button, the document structure appears in the left navigation menu.



With these buttons you can step back and forward within the pages that have already been displayed, including changes between the main menu items (like changing back from the web shop to the catalogue). Your last setting or the last assembly you accessed in the catalogue will be displayed.



Using this button you can search articles by numbers or labels (names). Also see chapter 8.4.



The catalogue software also offers a help function. This help function is a general assistance - for Kässbohrer specific assistance, please use this manual.

The left icon allows you to show or hide the assembly structure / tree view. If you click on the right icon, the parts list will be displayed below or besides the drawing.



This button allows you to jump to the beginning of the catalogue.



If the double arrow "up" is available, you use it to move to the next higher level of the hierarchy tree group. With the double arrows "left" and "right" you scroll to the previous or to the next module within the current hierarchy. 교묘

N



Single arrow buttons "left" and "right": Pressing an arrow will scroll between multiple drawings of an assembly (if existing).

The thumbnail view will display an overview of all available drawings of the selected module.

Switch between higher image quality and shorter loading time. By default, the **ImageGear** component is used for displaying drawings (fast and resource-saving display of black / white drawings). When clicking on this icon, the **Tiffy** viewer will be activated (better zooming of colored drawings, but larger demand of memory). Your selection will be kept during your session.

Tools for image navigation

Buttons + and - are magnifying / zoom functions to enlarge

or reduce the complete image. The fourth icon in the bar offers a selection tool. Press the hold the left mouse button and draw the mouse to select an area within the displayed illustration, which will then be enlarged.

The bottom icon icon offers a magnifying function with scrolling possibility. You can zoom a part of the image and scroll within the image.



	F	0		lf 7
	¥	0		cå
			0	bc
		e 🗊 🗊	0	1
	¥	0		1
1	line			1

an article is marked with the phone symbol, this article in only be ordered after phone contact with the *Käss*ohrer Spare parts service department.

Order	Q	-
	🎭 🕕	
/	% 🛈	
	🎭 🕕	

The cogwheel pair hindicates that the displayed module includes subassemblies / parts. Icon i indicates that additional information (like replacement or elimination of a part) is available. After selecting i, a window with all additional information will be displayed.

Order	O	-	F
蕉	¢ ()		1
Ě	¢ ()		2
//			

If you want to order the displayed item, simply click on the cart $\overleftarrow{=}$ icon. A window with the essential information on this article will appear. Enter the desired amount, then it will be stored in your shopping cart.

The book icon **I** indicates that documents for this part are available from the database. These documents can be displayed by clicking on the book icon. Only items which are marked with a book icon have an assignment to a document.

If only one cogwheel ^{*} is displayed with an item / line, this is an individual part. Use the cart function to order this part.



If an article is marked with the percentage symbol <u>%</u>, a special discount is offered at the moment.

8 Searching parts from the spare parts catalogue

The electronic spare parts catalogue is based on the development data, on the production data and on the construction specifications of the vehicles. The menu navigation column on the left side of the catalogue represents the individual assemblies of our products. You can search spare parts from catalogue using either the navigation menu or by selecting single "balloon numbers" from the illustrations, as well as directly in the diagram view of the "Balloons" with the numeric entries assemblies and parts identification.



Illustration: "balloon numbers"



8.1 Structure of the assemblies



The navigation menu shows the main assemblies. Open a single assembly by double clicking the ^O icon to show the included hierarchy. If, for example, you search parts of the spare wheel holder ("assembly reserve wheel holder (open basket"), you click on the label, then the structure will open.

	🖏 🕿 📢 除 📇 📵		
641000	91110231	^	assembly reser
🗢 M	P-M Metago		
0	truck praparation renault premium		
0	overview truck adaptations Ren. Premium E		
•	assembly reserve wheel holder (open baske		
Contraction (1998)	reserve wheel holder		
0	assembly tool box slim		
0	overview tank system SMA low		
0	assembly pillar group long		
0	assembly platform front standard		
	assembly screw in part		
0	assembly 1+3 rail telescope		
	assembly rail support straight		
0	assembly starting shoe standard		
0	assembly wheel box 22,5 tires		

8.2 Structure of the navigation

8.2.1 Image navigation

The screen navigation is using isometric illustrations; the balloon numbers are linked and can take you to the next assembly level.



8.2.2 Search for electronic components

All device plans are designed in 2D schematic drawings. The assemblies within the 2D schematics also come in isometric illustrations and can again be itemized. Attention: All device illustrations are available in German language only!

8.2.3 Search for hydraulic components

You can search for hydraulic components by using item "Hydraulics Overview". Also here all device illustrations are available in German language only.



Order		- Pos	Material number	Description	Set	Qty	υ
¥	9	1	643-66-20-000-47	lifting device		1,00	St
陲	% i)	2	643-66-20-200-25	lift arm left		1,00	St
革	% i)	3	643-66-20-300-25	lift arm right		1,00	St
	% i)	4	643-66-11-220-25	assembly caster		2,00	St
陲	¢ ()	8	0-271-412-002	conical grease nipple		12,00	St
¥	0 i) S	9	653-66-11-121-41	collar half-shell 165H9 x 170 x 105*		4,00	SI
蕉	\$	10	0-207-349-007	disc 15x35x6		32,00	SI
vdditiona ↓	I information General info Desumant link Usage Substitution Close	5	Substitution	1-41 aring sh. 165h9 x 170 x 105*	22-41 165 33-41 165 24-41	H9 x 170	. x

8.2.4 Information on substitution and cessation

Information on the substitution or cessation of an article are marked with symbol **S**. Click on the symbol to display the information. The symbol is also used for kit articles.

Attention! Old secondary items are as usual to find with "double click" at the old assembly!

¥	‡	8	0-271-412-002	conical grease nipple	12,00	s
Æ	¢ i S	9	653-66-11-121-41	collar half-shell 165H9 x 170 x 105*	4,00	S
蕉	* 1	10	0-207-349-007	disc 15x35x6	32,00	s



Cotalog Distancentation	ithe Curuck Vor Philfe	
Servicenformation Spezificationen Aktonen Set Set		

Select **Documentation – Substitution numbers** to display a list with substituted articles (example on the next page).

Käss	bo	h	re	r
L	Driven by	proi	fession	als

Ersetzter Artikel / replaced part	Neuer Artikel / new part	Bezeichnung Neuer Artikel
0011319002	0200980007	Sicherungsmutter VM 20 8
0022200008	0022230360	Kabelbinder schwarz 360/7,5
0022212000	0022230200	Kabelbinder schwarz 200/4,5
0022220008	0022230360	Kabelbinder schwarz 360/7,5
0023716004	0023716002	Steckkontakt 2,8 mm
0100912223	0300912223	Zyl. Schraube M16 x 1,5 x 50!!
0100912305	0300912305	Zyl. Schraube M16 x 1,5 x 45
0100931109	0200931109	Skt. Schraube M 16 X 55 8.8
0100936022	0200936022	Skt. Flachmutter M 24 x 1,5 8
0100936030	0200936030	Skt. Flachmutter M 30 x 1,5
0100937013	0200937014	Kronenmutter M20x1,5 galv.verz.
0101481010	0308752010	Spannhülse 4 X 30 Dacromet
0101481018	0308752018	Spannhülse 5 X 24 Dacromet
0101481020	0308752020	Spannhülse 5 X 30 Dacromet
0101481024	0308752024	Spannhülse 5 X 50 Dacromet
0101481035	0308752035	Spannhülse 6 X 60 Dacromet
0101481047	0308752047	Spannhülse 8 X 60 Dacromet
0101481059	0308752059	Spannstift 10 X 70 dacrom.
0101481082	0308752082	Spannhülse 6 X 30 Dacromet
0107980010	0207980010	Federing 20
0200094076	0200094025	Splint 4x25
0200126006	0200440001	Scheibe 11x34x3 DIN440 form
0200126008	0200440002	Scheibe 15/44/3 DIN9021 verz.
0200912049	8361110001	Bolzen / Schraubensatz
0200912113	8361110001	Bolzen / Schraubensatz
0200931476	0200931476	Skt. Schraube M12x55 PR 80 8.8
0200931476	0500931540	Skt. Schraube M 12 X 55 PR 85
0200936031	0200936030	Skt. Flachmutter M 30 x 1,5

This is an example section of the list with the number of the former article (replaced part) in the left column and the number of the current article (new part) in the second column. This list is only available in German language.

8.3 Description "Other modules"

The group of **Other modules** contains articles which don't have a fixed assignment.

8.4 Search capabilities of the spare parts catalogue

After selecting function **Search**, articles may be searched by entering an article number or a description / label.

Catalogue	Documentation	C Search	Seck.	Next 11el0			
Search in catalogue	Search in duc	umentation	Substitution	Combined Sean	<u>60</u>		
Part no. oter number							
Set. Module							
Income and Income	00D1511797		100				

8.4.1 Search with article number/part number

Pars no. 653-66	111121-01			
fer romber				
Description	10			
Madula				
constant 1				
Search in 645000	D1511707	_		
Start March	Carlor search-	Contraction of the local distance of the loc		
ten den den sterrig.	Record 1 to 1 from 1 is	abown		
	and the second se			
and been head becaused	ACCOUNT OF A DESCRIPTION OF A DESCRIPTIO	Test Contra		Statement and statements

8.4.2 Search for Product Description / designation

All				
and the second s				
1797	100			
	- 1011			
CONTRACTOR DESCRIPTION OF TAXABLE PARTY				
Cover providence (II-C)	sol licenth fields in			
	Carriel assure in 1	Connel Service International Service Interna	Conseq involves (1) Trans. Press, in section graphics	Convert interview and interview design

9 Function of the webshop

9.1 The options of the shopping cart

When starting a new shopping cart, you can select the **order type** and the **mode of shipment**.

You can enter your individual order number at field **Customer order number** (e.g. from your own merchandise management system). This number will be printed on our invoice documents. The shopping cart number or catalog order number (ID) will also be printed on our invoices and delivery notes. This way you can always get the reference to the order during the following steps of the order execution.

Order Type:	Order	~	
Shipping Type:	Normal	~	
Client order no.:			
Discount group:	RG		

9.2 Administering orders

By selecting menu item **Orders**, all your orders will be displayed (status *executed*, status *archived* and status *draft*).

02/25/2010 Vorla 02/25/2010 Vorla	age Gewährleistungsantrag	Warranty Order	North Com				
02/25/2010 Vorla	soe Gewährleistungsentrag		The Local Designment of the lo	Archive	Delete	View templateron	Print order confirmation
02/25/2010 Voda	3	Warranty Order	-Weren	Archive	Delete	View template	Print order confirmation
121 231 2010 YOUR	age Gewährleistungsantrag	Warranty Order	View	Archive	Deleta	view template	Print order confirmation
02/25/2010 Vorla	age Gewährleistungsantrag	Warranty Order	View	Archive	Delete	View template	Print order confirmation
03/09/2010		Order	view	Archive	Delste		Print order confirmation
03/30/2010		Order	Verw	Archiver	Delete		Print order confirmation
05/03/2010		Order	Van	Archeve	Delete		Print order confirmation
07/05/2010		Order	View	Archive	Deleter		Print order confirmation
07/08/2010		Request for Quote	View	Archive	Deleter		Print order confirmation
08/12/2010		Request for Quote	View	Archive	Delete		Print order confirmation

Depending on your selection from *all / archived / draft* you can display a filtered list of entries.

Basically, any order may be copied and then be used as template for a new order (display an order, then select ->copy ->enter changes -> release order.) An order may also be saved as an order template and then be used repeatedly as a template. After you have collected a proper shopping cart, use the belonging button to save it as a draft:



Shoppi	ng cart
--------	---------

Add manually							
Article number	Quar	ntity					
Order Type: Order Shipping Type: Normal Client order no.: Image: Client order no.: Discount group: RG * = Mandatory field							
Pos. Article num	Description) washer a10,5	QuantityUnit1.00Stk	Gross Net 0,06	DG C	lient order no.	origin Remove	
Update car Save as dra	ft	Order					